

Notice of Allowability

Application No.

10/591,153

Examiner

TAN N. TRAN

Applicant(s)

NAGAI, HIDEO

Art Unit

2826

- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 04/15/08.
2. ☒ The allowed claim(s) is/are 1 and 4-19.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☒ All b) ☐ Some* c) ☐ None of the:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date 08/30/06
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☒ Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Maulin Shah on 05/08/08.

The application has been amended as follows:

In claim 1, lines 9,10, "high-dislocation-density regions in which dislocations are localized and (ii) low-dislocation-density regions, the high and low-dislocation-density regions" should be changed to -- high-defect-density regions in which defects are localized and (ii) low-defect-density regions, the high and low-defect-density regions --.

In claim 1, lines 14,15, "low-dislocation-density regions" should be changed to --low-defect-density regions --.

In claim 1, line 14, "the p-electrode is in contact" should be changed to -- the p-electrode is directly in contact --.

In claim 9, line 3, "high-dislocation-density regions" should be changed to --high-defect-density regions --.

In claim 10, line 3, "the intensive-injection region" should be changed to -- a intensive-injection region --.

Reasons for Allowance

2. The following is an examiner's statement of reasons for allowance:

Claims 1,4-19 are allowable over the reference of record because none of these references disclose or can be combined to yield the claimed invention such as the p-electrode has, on a surface facing toward the p-semiconductor layer, a plurality of projections or depressions that are distributed substantially uniformly, and the p-electrode is directly in contact, at top surface, with the low-defect-density regions of the p-semiconductor layer as recited in claim 1.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled ""Comments on Statement of Reasons for Allowance.

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to TAN N. TRAN whose telephone number is (571) 272-1923. The examiner can normally be reached on 8:30-5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, PURVIS SUE can be reached on (571) 272-1236. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2826

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/T. N. T./

Examiner, Art Unit 2826

/Evan Pert/

Primary Examiner, Art Unit 2826